Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	16241	(drive adj controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:51
S2	425	S1 same ((install\$3 program\$4) near3 (function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/11/01 14:51
S3	195	S1 same ((load\$3 download\$3 upload\$3) near3 (function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:52
S4	526	S1 same ((install\$3 program\$4 load\$3 download\$3 upload\$3 updat\$3 upgrad\$3) near3 (function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:52
S5	218	S1 same ((load\$3 download\$3 upload\$3 updat\$3 upgrad\$3) near3 (function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ΟŃ	2005/11/01 15:34
S6	218	S4 same S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 17:07
S7	7	S6 and ((basic permanent) near3 (function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 16:13
S8	65	S6 and ((power current voltage rotation speed) near3 control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:53

S9	14	S6 and ((basic permanent) near5 (function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:59
S10	75	S6 and ((power current voltage rotation speed) near5 control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 16:14
S11	81	S9 S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:09
S12	25	S11 and ((additional extra other temporar\$3) near5 (operation function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:54
S13	28	S11 and ((startup (start\$3 adj up) ((diagnostic setup) near2 tool)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:37
S14	38	S12 S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:31
S15	7	("6263487" "5421017" "6397385"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:39
S16	3	("19835416" "19549154" "0147099").pn.	EPO; JPO; DERWENT	OR	ON	2005/11/01 14:38
S17	7	S15 S16	EPO; JPO; DERWENT	OR	ON	2005/11/01 14:38
S18	0	S15 and (drive adj controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:51

S19	2	S15 and ((install\$3 program\$4) near3 (function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:51
S20	5	S15 and ((load\$3 download\$3 upload\$3) near3 (function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:52
S21	5	S19 S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:52
S22	6	S15 and ((install\$3 program\$4 load\$3 download\$3 upload\$3 updat\$3 upgrad\$3) near3 (function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:52
S23	6	S15 and ((load\$3 download\$3 upload\$3 updat\$3 upgrad\$3) near3 (function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:53
S24	6	S22 S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:53
S25	1	S24 and ((basic permanent) near3 (function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:53
S26	0	S24 and ((power current voltage rotation speed) near3 control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:53

				,		
S27	2	S24 and ((additional extra other temporar\$3) near5 (operation function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:54
S28	1	S24 and ((startup (start\$3 adj up) ((diagnostic setup) near2 tool)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:54
S29	40	S14 S25 S27 S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:55
S30	3	S29 and (functional adj block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 14:55
S31	8	S29 and ((basic permanent) near5 (function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:29
S32	5	S31 and ((power current voltage rotation speed) near5 control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:25
S33	8	S10 and ((basic permanent) near5 (function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:29
S34	3	S31 not S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:38

	,			T		
S35	11	(S31 S33) and ((load\$3 download\$3 upload\$3 updat\$3 upgrad\$3) near3 (function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:35
S36	11	S31 S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:35
S37	11	S36 and ((load\$3 download\$3 upload\$3 updat\$3 upgrad\$3) near3 (function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:35
S38	11	S36 and ((load\$5 download\$5 upload\$5 updat\$5 upgrad\$5) near3 (function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/11/01 15:36
S39	5	S38 and ((startup (start\$3 adj up) ((diagnostic setup) near2 tool)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:37
S40	8	S34 S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:39
S41	2	S40 and (tim\$3 near function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:42
S42	3	S40 and ((real near3 tim\$3) near5 function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:52

S43	17	S6 and ((drive adj control\$4) same motor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 15:53
S44	2	S42 and ((basic permanent) near3 (function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 16:13
S45	2	S44 and ((power current voltage rotation speed) near5 control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 16:28
S46	26	S6 and ((diagnostics setup) near3 (tool equipment program software code))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 16:30
S47	0	S6 and (((memory block storage) near5 (stor\$3 near3 (power current rotation speed))) with control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 17:10
S48	6	S6 and (((memory block storage) with (stor\$3 near5 (power current rotation speed))) with control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 17:16
S49	14	S6 and (((memory block storage) with (stor\$3 near5 (power current rotation speed))) same (control\$4 motor (drive adj controller)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 17:19
S50	8	S49 not S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 17:17

				r-		
S51	63	S4 and (((memory block storage) with (stor\$3 near5 (power current rotation speed))) same (control\$4 motor (drive adj controller)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 17:20
S52	9	S51 and (((startup boot BIOS) near2 (program code software)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 17:25
S53	46	S51 and ((((startup boot BIOS) near2 (program code software))) (diagnostic\$1 setup (set adj up)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 17:26
S54	9	S52 and ((((startup boot BIOS) near2 (program code software))) (diagnostic\$1 setup (set adj up)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 17:30
S55	3	S52 and (diagnostic\$1 setup (set adj up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 17:27
S56	3	S54 and (diagnostic\$1 setup (set adj up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 17:27
S57	6	S54 not S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 17:33
S58	0	(((load\$4 upload\$4 download\$4) near5 (control adj function)) with (external adj source)) same (temporary near3 use)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 17:37

S59	0	(((load\$4 upload\$4 download\$4) near5 (control near3 function)) with (external adj source)) same (temporary near3 use)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 17:37
S60	0	((load\$4 upload\$4 download\$4) near5 (control near3 function)) same (temporary near3 use)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 17:38
S61	0	((load\$4 upload\$4 download\$4) near5 (control near3 (function power current rotation speed))) same (temporary near3 use)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 17:52
S62	7663	(drive adj controller) with (power current control rotation speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 17:53
S63	129	S62 same (startup (start\$3 adj up) diagnostics setup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 17:54
S64	1	S63 same ((permanent\$3 near5 (stor\$3 instal\$4 load\$4 download\$4 upload\$3)) with (function program code routine data software instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 17:57
S65	5	S63 and ((permanent\$3 near5 (stor\$3 instal\$4 load\$4 download\$4 upload\$3)) with (function program code routine data software instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:33
S66	15	("5767844" "6831551" "5767844" "6831551" "6725318" "6260084" "6906983" "20030163714" "5781028").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:10

S67	0	controller same (permanent\$3 near2 funtion) same ((chang\$5 updat\$5 \$3load\$5) near3 function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:12
S68	4115	controller same (((permanent\$3 basic) near2 (funtion program code software)) ((power current rotation speed) near3 control\$4)) same (((tempora\$5 chang\$5 updat\$5 \$3load\$5) near3 function) startup diagnostic\$2 setup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:18
S69	1410	controller with (((permanent\$3 basic) near2 (funtion program code software)) ((power current rotation speed) near3 control\$4)) with (((tempora\$5 chang\$5 updat\$5 \$3load\$5) near3 function) startup diagnostic\$2 setup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 14:32
S70	1410	controller with (((permanent\$3 basic) near2 (funtion program code software)) ((power current rotation speed) near3 control\$4)) with (((tempora\$5 chang\$5 updat\$5 \$3load\$5) near3 function) startup diagnostic\$2 setup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 14:32
S71	2	S70 and (firmware near2 updat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 14:35
S72	16241	(drive adj controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 14:36
S73	526	S72 same ((install\$3 program\$4 load\$3 download\$3 upload\$3 updat\$3 upgrad\$3) near3 (function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 14:36
S74	218	S72 same ((load\$3 download\$3 upload\$3 updat\$3 upgrad\$3) near3 (function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 14:36

S75	218	S73 same S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 14:36
S76	20	S75 and (bus with (upload\$3 download\$3 load\$3 upgrad\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 14:36
S77	3	S76 and (automation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 16:10
S78	1	S77 and (real adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 14:40
S79	3	S77 and (time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 14:40
S80	0	S76 and (simultaneous\$2 near3 execut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/11/02 14:59
S81	2	S76 and ((simultaneous\$2 concurrent\$3 synchron\$5) near3 execut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 15:02
S82	13	S75 and ((parallel simultaneous\$2 concurrent\$3 synchron\$5) near3 execut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 15:04

S83	9	S75 and (((parallel simultaneous\$2 concurrent\$3 synchron\$5) near3 execut\$3) with (block part portion memory storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 15:28
S84	6	S75 and ((((parallel simultaneous\$2 concurrent\$3 synchron\$5) near3 execut\$3) with (block part portion memory storage)) same interrupt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 15:29
S85	8	("5754424" "20020082720" "6256714" "20030018892").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:13
S86	0	S85 and (\$3load\$3 with internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 16:13
S87	2	S85 and (internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 16:16
S88	4	S85 and (runtime run adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 16:16
S89	4	S85 and (runtime (run adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 16:25
S90	1	S85 and ((exceed\$3 expir\$5) near3 (time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 16:23

S91	4	S85 and (runtime (run adj time) (comput\$5 adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 16:31
S92	0	S85 and ((runtime (run adj time) (comput\$5 adj time)) same (time near5 (elaps\$3 expir\$5 exceed\$3 overdue)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 16:34
S93	1	S85 and ((time near5 (elaps\$3 expir\$5 exceed\$3 overdue)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 16:45
S94	0	S85 and (memory near3 location near5 access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 16:45
S95	0	S85 and ((memory near5 location) with access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 16:46
S96	5	S85 and ((memory block) with (access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 16:46
S97	5	S85 and ((memory block) near5 (access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 16:46
S98	5	S85 and ((memory) near5 (access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:04

S99	3	("6263487").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2005/11/03 10:07
			IBM_TDB			
S10 0	0	S99 and (address\$3 with access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:14
S10 1	0	S99 and (address\$3 with (access\$3 read\$3 writ\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:08
S10 2	0	S99 and ((address\$3 location) with (access\$3 read\$3 writ\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:08
S10 3	. 0	S99 and ((address\$3 location) with (stor\$3 access\$3 read\$3 writ\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:10
S10 4	1	S99 and (access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:10
S10 5	2	"6256714".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:10
S10 6	0	S105 and (address\$3 with access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:10

S10 7	1	S105 and ((address\$3 location) with (stor\$3 access\$3 read\$3 writ\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:12
S10 8	1	S99 and (time near5 monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:12
S10 9	15	("5754424" "20020082720" "6256714" "20030018892" "6263487" "5412791" "6691249"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:14
S11 0	3	S109 and (address\$3 with access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:16
S11 1	16255	(drive adj controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:23
S11 2	526	S111 same ((install\$3 program\$4 load\$3 download\$3 upload\$3 updat\$3 upgrad\$3) near3 (function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:23
S11 3	218	S111 same ((load\$3 download\$3 upload\$3 updat\$3 upgrad\$3) near3 (function program code software instruction routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:23
S11 4	218	S112 same S113	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:23

S11 5	27	S114 and (address\$3 with access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:24
S11 6	20	S115 and (predefin\$3 predetermin\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:26
S11 7	16	S115 and ((predefin\$3 predetermin\$5) with (address\$3 access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 10:27